Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S55	0	(demultiplex\$4 decompos\$3 DMCU) NEAR5 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway")	US-PGPUB; USPAT	OR	ON	2005/10/17 09:45
S56	0	(demultiplex\$4 decompos\$3 DMCU) NEAR5 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:45
S57	0	(demultiplex\$4 decompos\$3 DMCU) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:46
S58	0	((demultiplex\$4 decompos\$3 DMCU) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5)) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:47
S59	21	((demultiplex\$4 decompos\$3 DMCU handl\$5) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5)) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:51
S60	45	((demultiplex\$4 decompos\$3 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR9 ("h." "g." "H.323" "H." "G." MCU MPU MP SIP multipoint\$5)) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/17 09:51

S61 15 ((demultiplex\$4 decord DMCU handl\$5) NEAR3 "H." "G." MCU SIP multipoint\$5)) and @ad<"19991108" and "h.248" "H.248" "gatev "media gateway" mgcp	("h." "g." USPAT MPU MP d (Megaco vay control"	ON 2005/10	0/17 09:51
S62 39 ((demultiplex\$4 decor DMCU handl\$5 mux\$5 transcod\$5 translat\$5 NEAR3 ("h." "g." "H.32 MCU MPU MP SIP mult and @ad<"19991108" (Megaco "h.248" "H.24 "gateway control" "me gateway" mgcp)	\$5demux\$5 USPAT onver\$5) 3" "H." "G." point\$5)) and 8"	ON 2005/10	0/17 13:26
9 ((demultiplex\$4 decor DMCU handl\$5 mux\$5 transcod\$5 translat\$5 NEAR3 (MPU MP mult and @ad<"19991108" (Megaco "h.248" "H.24 "gateway control" "me gateway" mgcp)	\$5demux\$5 USPAT conver\$5) point\$5)) and 8"	ON 2005/10	D/17 14:10
S64 9 ((demultiplex\$4 decor DMCU handl\$5 mux\$5 transcod\$5 translat\$5 NEAR3 (MPU MP mult 320" "H.321" "H.324" @ad<"19991108" and "h.248" "H.248" "gatev "media gateway" mgcr	\$5demux\$5 USPAT conver\$5) point\$5 "H.) and (Megaco vay control"	ON 2005/10	0/17 14:12
6 ((demultiplex\$4 decormix\$5 DMCU handl\$5 mix\$5 DMCU handl\$5 mix\$5 transcod\$5 conver\$5) NEAR9 (MP multipoint\$5 "H.320" "324")) and @ad<"19 and (Megaco "h.248" "gateway control" "megateway" mgcp) not Se	nux\$5 translat\$5 J MP H.321" "H. 991108" H.248"	ON 2005/10	0/17 14:17
S66 6 ((demultiplex\$4 decor mix\$5 DMCU handl\$5 i \$5demux\$5 transcod\$!	nux\$5 USPAT • translat\$5 out adj	ON 2005/10	0/17 14:17
conver\$5 out-of-band (band)) NEAR9 (MPU Near Market MPU Near MPU NE	H.321" "H. 191108" H.248"		

S67	9	((demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 "H. 320" "H.321" "H.324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S64	US-PGPUB; USPAT	OR	ON	2005/10/17 14:19
S68	3	((demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 "H. 320" "H.321" "H.324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:07
S69	0	((de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 "H.320" "H.321" "H. 324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:36
S70	7	((de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 "H. 320" "H.321" "H.324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:45

S71	7	((de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H. 324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 15:47
\$72	37	((de-multiplex\$5 de-compos\$5 de-mux\$5 demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H. 324" "H.323")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 16:00
S73	37	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H. 324" "H.323")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 16:08

S74	37	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S64 S65 S68)	US-PGPUB; USPAT	OR	ON	2005/10/17 16:27
S75	22	((Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H. 320" "H.321" "H.324" "H.323")) and @ad<"19991108"	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S76	. 9	((demultiplex\$4 decompos\$3 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR3 (MPU MP multipoint\$5 "H. 320" "H.321" "H.324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S77	6	((demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR9 (MPU MP multipoint\$5 "H.320" "H.321" "H. 324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S76	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S78	3	((demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 "H. 320" "H.321" "H.324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S76 S77)	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59

S79	37	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (\$76 \$77 \$78)	US-PGPUB; USPAT	OR	ON	2005/10/18 09:26
S80	22	((Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H. 320" "H.321" "H.324" "H.323")) and @ad<"19991108"	US-PGPUB; USPAT	OR	ON	2005/10/18 08:59
S81	9	S80 and S79	US-PGPUB; USPAT	OR	ON	2005/10/18 09:01
S82		((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (\$76 \$77 \$78 \$79)	US-PGPUB; USPAT	OR	ON	2005/10/18 09:28

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S83	45	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU) NEAR5 ("h." or "g." or "H. 323" or "H." or "G." or MCU or MPU or MP or SIP) and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP)	US-PGPUB; USPAT	OR	ON	2005/10/18 10:57
S84	45	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU) NEAR5 ("h." or "g." or "H. 323" or "H." or "G." or MCU or MPU or MP or SIP) and @ad<"19991108" and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:45
S85	0	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU) NEAR5 ("h." or "g." or "H. 323" or "H." or "G." or MCU or MPU or MP or SIP) and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP) not S84	US-PGPUB; USPAT	OR	ON	2005/10/18 10:57
S86	66	(process\$4 or separat\$3 or divid\$3 or split\$4 or division or demultiplex\$4 or decompos\$3 or DMCU) NEAR5 ("h." or "g." or "H. 323" or "H." or "G." or MCU or MPU or MP or SIP) and @ad<"20001108" and (Megaco or "h.248" or "H.248" or "gateway control" or "media gateway" or MGCP)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:45
S87	9	((demultiplex\$4 decompos\$3 DMCU handi\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR3 (MPU MP multipoint\$5 "H. 320" "H.321" "H.324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46

S88		((demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5) NEAR9 (MPU MP multipoint\$5 "H.320" "H.321" "H. 324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not S87	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46
S89	3	((demultiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5) NEAR9 (MPU MP multipoint\$5 multi-point\$5 "H. 320" "H.321" "H.324")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S87 S88)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46
S90	37	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323")) and @ad<"19991108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S87 S88 S89)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:46
591	53	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and @ad<"20001108" and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) not (S87 S88 S89 S90)	US-PGPUB;	OR	ON	2005/10/18 11:54

	· · · · · · · · · · · · · · · · · · ·		,			
S92	195	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and (\$4multiplex\$5 \$2mux)	US-PGPUB; USPAT	OR	ON	2005/10/18 11:56
S93	0	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and ((\$4multiplex\$5 \$2mux \$3compos\$5) near9 (MP MPU)) and @ad<"20001108"	US-PGPUB; USPAT	OR	ON	2005/10/18 11:58
S94	1	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) NEAR9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and ((\$4multiplex\$5 \$2mux \$3compos\$5) near9 (multipoint multi-point (multi adj point))) and @ad<"20001108"	US-PGPUB; USPAT	OR	ON	2005/10/18 12:01

S95	44	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) same (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and @ad<"20001108" and "709".clas.	US-PGPUB; USPAT	OR	ON	2005/10/18 12:02
S96	29	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) near9 (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and @ad<"20001108" and "709".clas.	US-PGPUB;	OR	ON	2005/10/18 12:06
S97	11	((de-multiplex\$5 de-compos\$5 de-mux\$5 \$4multiplex\$4 decompos\$3 mix\$5 DMCU handl\$5 mux\$5 \$5demux\$5 transcod\$5 translat\$5 conver\$5 out-of-band (out adj band) separat\$5 break\$5 \$5format\$5 extract\$5 resolv\$4 transform\$5 interpret\$4 deconstruct\$5) and (MCU MPU MP multipoint\$5 multi-point\$5 (multi adj point) "H.320" "H.321" "H.324" "H.323" sip)) and (Megaco "h.248" "H.248" "gateway control" "media gateway" mgcp) and @ad<"20001108" and 709/227. ccls.	US-PGPUB; USPAT	OR	ON	2005/10/18 12:06